

# H867 Visor Mount

## Visor Carrier Connect To EMH5

# Product Datasheet

**OUR REF:** H867

### PRODUCT DESCRIPTION

Simple yet effective helmet visor mount for use with EMH5 helmet mounted earmuffs only on UCi HP series helmets. Very secure, easy to fit and easily removed when not required. Preset "click stop" system holds the visor in 3 preset positions. Suitable for use with VCA85 P/C visors and VM85M Mesh Visor.

**AVAILABLE SIZES:** ONE SIZE

**PACKAGING:** Per Pack: 10

**Per Case : 50**

**COLOURS AVAILABLE:** Black

**NOTE:** The levels of protection are based on the LOWEST value on either the visor or carrier. These may not be the same on both components - check before use or contact your supplier for more information. This product when fitted with VCA85 visor is for eye protection against moderate impact hazards but is NOT unbreakable.



Shown in Forestry  
Helmet kit.



### Technical Details

Complies with the requirements of the European Standard EN166:2001 "Personal Eye Protection".

**EN 166 3 B** Average energy impact (resists a 6 mm, 0.86g ball bearing at 120 m/s) Protection against liquid splashes.

**EN 1731 F** Low energy impact (resists a 6mm ball, 0.86g ball bearing at 45m/s) [Applicable when fitted with mesh type visors only.]

If the symbol F, B and A are not common to both visor and frame then the lower level MUST be assigned to the complete eye-protector.

#### Instructions for use:

- Inspect the carrier carefully before use and discard if damaged in any way.
- Ensure the visor is correctly fitted to the carrier ( VCA 85 or HP series helmets ) and that all securing tabs are in the vertical position. Locate helmet peak in locating groove and pull spring retainer to rest on the back of the helmet above the rain channel. Gently bend the aluminium trim so that the visor matches the shape of the carrier before use.

#### Additional Information:

- **Storage:** Always store in clean, dry conditions and contain within the poly bag/box provided. Do not store in places subject to direct, strong sunlight or in contact with solvents.
- **Damage:** This product should be carefully inspected before use and discarded if damaged in anyway whatsoever.
- **Chemicals:** Certain chemicals may have a detrimental effect on contact with this product. If in doubt please check with your supplier.
- **Material Declaration:** No parts of the helmet which are in contact with the wearer are made from materials known to cause skin irritation.
- **Cleaning:** Clean with warm soapy water.

MEETS:  
**EN 166:2001**  
Personal Eye Protection

EC type examination(s) carried out by: INRS, Avenue de Bourgogne / B.P.27F 54501 VAN-DOEUVRE, FRANCE.  
Notified Body: 0070

#### For more information contact :

**T:** +44 (0) 1902 451 451 **F:** +44 (0) 1902 451 276

**E:** [sales@ultimateindustrial.co.uk](mailto:sales@ultimateindustrial.co.uk)

[www.ultimateindustrial.co.uk](http://www.ultimateindustrial.co.uk)

#### Ultimate Industrial Limited

Victoria House,  
Colliery Road,  
Wolverhampton, WV1 2RD  
United Kingdom

